## **MATERIAL SAFETY DATA SHEET**

## SECTION 1: IDENTIFICATION OF MATERIAL AND SUPPLIER

**Product Name: FLOOR STRIP** 

**Product Code: FST 20** 

**Use:** Heavy duty stripper, cleaner and degreaser.

Company: ADVANCED AUTOLOGIC Pty Ltd.,

ACN 008 993 833

Address PO Box 205 Byford WA, 6122

Telephone No: (08) 9526 2678 Fax No: (08) 9526 2680

Emergency No. (08) 9526 2678 (All Hours)

## **SECTION 2: HAZARDS IDENTIFICATION**

Hazardous according to criteria of WorkSafe Australia

Hazard Category C – Corrosive

**Risk Phrases** 

R35 Causes severe burns

#### **Safety Phrases**

**S1/2** Keep locked up and out of reach of

children

**S24/25** Avoid contact with skin and eyes **S26** In case of contact with eyes, rinse

immediately with plenty of water and seek

medical advice

**S37/39** Wear suitable gloves and eye/face

protection

S45 In case of accident or if you feel unwell,

seek medical advice immediately (show

the label whenever possible)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## **Ingredients**

All products are formulated to be non-hazardous to health and environment, wherever possible. All hazardous sub-stances as defined by the NOHSC Code 1008 are listed by CAS No. Other major ingredients that are determined to be non-hazardous are listed without a CAS No.

## Chemical name CAS No. Proportion

Sodium Hydroxide 1310-73-2 <10% Surfactants - <10% Ethylene Glycol Monobutyl 111-76-2 <5%

Ether

Water - To 100%

#### **SECTION 4: FIRST AID MEASURES**

**Swallowed:** If poisoning occurs contact a

Doctor or Poisons Information Centre. Phone 13 1126. Do **NOT** induce vomiting. Give glass of

water.

**Eye:** Flush gently with running water,

holding eyelids open for 15

minutes. Seek immediate medical

attention.

**Skin:** If skin contact occurs, remove

contaminated clothing and wash

skin thoroughly.

**Inhaled**: Get to fresh air.

**First Aid Facilities:** Eyewash. Fresh water. **Advice to Doctor:** Treat symptomatically.

### **SECTION 5: FIRE FIGHTING MEASURES**

None

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Scoop up excess product for re-use in a non-critical area. Flush with water.

## **SECTION 7: HANDLING AND STORAGE**

Keep containers closed. Avoid contact with skin and eyes by wearing eye protection and gloves.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards: Not allocated

Engineering Controls: Adequate ventilation.

Personal Protection: Avoid contact with skin and

eyes by wearing eye protection and

gloves.

Flammability: Not flammable

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Brownish liquidBoiling Point:Not applicableVapour Pressure:Not determined

Specific Gravity: 1.1

Flashpoint: Not flammable Flammability Limits: Not determined

Solubility in water: Soluble

**Other Properties** 

pH (1% solution) 12

## **SECTION 10: STABILITY AND REACTIVITY**

Stable.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Health Effects** 

**ACUTE** 

**SWALLOWED:** Corrosive. Causes severe burns **EYE:** Corrosive. Causes severe burns **SKIN:** Corrosive. Can cause severe burns

INHALED: Irritant if spray is inhaled CHRONIC: Long term effects unlikely

#### **SECTION 12: ECOLOGICAL INFORMATION**

Do not dispose to environment. Refer Section 13.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Recycle unwanted product or dispose via a waste management contractor.

### **SECTION 14: TRANSPORT INFORMATION**

UN Number: 3266 Dangerous Goods Class: 8

Subsidiary Risk: None allocated

Hazchem Code:

**EPG** 8A1 **Poisons Schedule:** S6

### **SECTION 15: REGULATORY INFORMATION**

This product is widely used by industry and is not subject to any special regulatory requirements.

### **SECTION 16: OTHER INFORMATION**

This MSDS is valid for five years from date of issue but readers should contact the manufacturer to ensure that this is the latest issue. As per the WorkSafe Guidance Note NOHSC 3017

(Health Risk Assessment) each user should review the information in the specific context of the intended application.

Date of Issue: 11/02/2020 Formula Code: FST 20

Contact Point: Emergency Co-ordinator

Mr Michael Croonen (08) 9526 2678